COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation
9960 Mayland Drive, Suite 400, Richmond, VA 23233
Telephone: (804) 367-8500

EXPIRES ON
12-31-2026

NUMBER
3333000153

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE
PCM PCMF PCMO PLM

APPLIED LABORATORY SERVICES LLC
3301 COLLEY AVENUE
NORFOLK, VA 23508

Jeb Wilkinson
James B. "Jeb" Wilkinson, Jr., DIRECTOR

Status can be verified at http://www.dpor.virginia.gov

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)

COMMONWEALTH of VIRGINIA
Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LABORATORY LICENSE

PCM PCMF PCMO PLM
NUMBER: 3333000153 EXPIRES: 12-31-2026

APPLIED LABORATORY SERVICES LLC
3301 COLLEY AVENUE
NORFOLK, VA 23508

(FOLD)

Status can be verified at http://www.dpor.virginia.gov

DPOR-PC (02/2017)